

Madden in My Mind

Deep Dives · The Recovery Files

Understanding and Managing Your Internal Social Commentator

From the Permanent Broadcast to the Compassionate Observer — The Recovery Files

24/7 Broadcast · Relentless replay, never off · Compassionate Quiet · Present, grounded, free

In this workbook

- Part 1 · Meet Your Internal Commentator
 - Check-in: Commentary Activation & Intensity
 - Exercise: Meet Your Inner Commentator
 - Exercise: The Commentary Transcript
- Part 2 · Why the Broadcast Never Stops: The Roots of Social Rumination
 - Check-in: Replay Cycle & Rumination
 - Check-in: Social Hypervigilance & Self-Consciousness
 - Exercise: The Replay Log
 - Exercise: Social Trigger Mapping
- Part 3 · The Price of the Permanent Broadcast: How Social Rumination Harms Recovery
 - Check-in: Impact on Recovery & Mental Health
 - Exercise: Social Confidence Inventory
 - Exercise: Recovery Connection Map
- Part 4 · Changing the Channel: From Analyst to Compassionate Observer
 - Check-in: Present-Moment Awareness & Management
 - Exercise: Cognitive Reframe Workshop
 - Exercise: Take Over the Broadcast Booth
 - Exercise: Present-Moment Practice (7 Days)
 - Exercise: Write Your New Broadcast

Each reading is followed by its check-in questions and exercises, in the same order as the app. Your scored results are shown in the app.

PART 1 OF 4 · READING

Meet Your Internal Commentator

Picture this: There is a version of John Madden living inside your head. Not the warm, jovial Hall of Fame coach who delighted television audiences with his infectious enthusiasm for football — but a relentless, never-off-duty analyst who has appointed himself the permanent play-by-play commentator of your entire social life. This mental Madden possesses all the verbose intensity and detailed scrutiny of the original, but instead of breaking down defensive formations and rushing yards, he is dissecting every conversation you have ever had, every gesture you have ever made, and every micro-expression that crossed your face during an interaction that may have happened weeks ago.

When you engage with someone — whether it is a casual exchange with a coworker, a difficult conversation with a loved one, or even just ordering coffee — this internal commentator immediately gets to work. He rewinds the interaction like game film, analyzing each moment with the same intensity Madden once brought to a crucial third-down play. "Now see here," your mental Madden might say, "this is where you said 'that's interesting' but your tone went up at the end, making it sound like a question. The other person's eyebrows raised just slightly — did they think you were being sarcastic? Let's run that back again." And then it does. Run back. Again. And again.

The replay begins immediately after the social interaction ends — sometimes even while it is still happening. Your internal commentator does not just watch the tape once. He is obsessive about it. He will replay the same thirty-second segment of conversation dozens of times, zooming in on different details each time. First he focuses on what you said and how you said it. Then he shifts to analyzing the other person's responses. Then he notices how they shifted their weight, or how their smile seemed to tighten imperceptibly when you made that joke. Then he runs it back again.

What makes this phenomenon particularly exhausting is that your internal Madden never takes a break. Unlike the real John Madden, who had scheduled broadcasts and an off-season, your mind's version works around the clock. He is there during your morning commute, still analyzing yesterday's interactions. He is there during lunch, correlating today's conversations with patterns he identified from three weeks ago. He is there most intensely at bedtime, shifting into slow-motion analysis mode just when your body most needs to rest.

Understanding that this internal broadcast is happening — and that it is a recognized psychological pattern with specific causes and specific solutions — is the first step toward changing the channel. You are not broken. You are not uniquely socially defective. Your brain has developed a protective system that worked once but has now become its own problem. The goal of this intensive is to help you understand that system, assess its impact on your recovery, and begin developing the skills to manage your internal broadcaster rather than being managed by it.

Reflection Questions

1. Does the "internal John Madden" metaphor resonate with your experience? Describe your own internal commentator — what does it sound like, when does it speak most loudly, and what does it tend to focus on?

2. Think of a recent social interaction that your internal commentator replayed extensively. What specific moment got the most airtime? Why do you think that moment was selected?

3. When did you first notice this pattern of social replay and self-analysis? Was there a specific event or period in your life when it became especially intense?

4. How does your internal commentator's voice sound? Is it critical, anxious, sarcastic, or something else? Does it remind you of anyone from your past?

5. On a scale of 1 to 10, how loud and constant is your internal broadcast right now, today? What would a "1" — a day with a quiet internal commentator — feel like?

CHECK YOURSELF · CHECK-IN 1 OF 5

Commentary Activation & Intensity

Scale: 1 = Not at all · 2 = A little · 3 = Somewhat · 4 = Quite a bit · 5 = Very much

1. The moment a social interaction begins, I shift into "analysis mode" without choosing to

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

2. My internal commentary begins while interactions are still happening, not just afterward

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

3. Even casual conversations trigger significant internal monitoring and self-evaluation

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

4. I experience a noticeable change in mental energy when entering social situations

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

5. My internal commentator reviews interactions immediately after they end, without a break

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

6. The analysis feels automatic and difficult to stop once it starts

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

7. I replay interactions for hours or days after they have ended

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

8. My internal broadcaster seems to have no off switch — it runs continuously

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

YOUR EXERCISE

Meet Your Inner Commentator

Naming and Describing Your Internal Broadcaster

Why This Matters

You cannot manage what you cannot see. Giving your internal commentator a concrete identity — a name, a voice, a personality — creates the crucial distance between YOU and IT. You are not your commentator. You are the person who has a commentator. That distinction is the beginning of freedom.

1. Give your internal commentator a name. (It doesn't have to b...

Give your internal commentator a name. (It doesn't have to be John Madden. What name fits the voice in your head?)

My commentator's name is...

2. Describe the voice. Is it loud or quiet? Harsh or anxious? D...

Describe the voice. Is it loud or quiet? Harsh or anxious? Does it remind you of anyone from your life?

The voice sounds like...

3. What does your commentator focus on most — words you said, r...

What does your commentator focus on most — words you said, reactions you got, what you should have done differently, or something else?

My commentator mostly focuses on...

4. When is your commentator loudest? (Bedtime? Morning commute?...

When is your commentator loudest? (Bedtime? Morning commute? During new social situations?) Describe the typical broadcast schedule.

The commentator is loudest when...

5. What is the oldest memory you have of this internal commenta...

What is the oldest memory you have of this internal commentary? When do you think it started, and what was happening in your life at the time?

The earliest I remember this voice...

6. If your commentator had a stated purpose — what it believes ...

If your commentator had a stated purpose — what it believes it is doing for you — what would that purpose be? What is it trying to protect you from?

My commentator believes it is protecting me from...

7. What has your commentator cost you? List specific relationsh...

What has your commentator cost you? List specific relationships, opportunities, or recovery experiences that the constant broadcast has interfered with.

The broadcast has cost me...

8. Write a short letter to your commentator — acknowledging its...

Write a short letter to your commentator — acknowledging its presence, recognizing what it was originally trying to do, and telling it what you need to change.

Dear [commentator's name]...

YOUR EXERCISE

The Commentary Transcript

Writing Out What the Commentator Actually Says

Why Externalize It

When commentary runs inside your head, it feels like truth. When you write it down, you can see it for what it is: a stream of anxious, often distorted thoughts — not objective reporting. Externalizing the commentary is one of the most powerful tools for reducing its authority.

Step 1: Choose a Recent Interaction

Choose a social interaction from the past week that your internal commentator has spent significant time replaying. Briefly describe it:

Describe the interaction your commentator has been replaying...

Step 2: Transcribe the Commentary

Write out your commentator's analysis of that interaction in as much detail as you can. Give your commentator full airtime on paper:

And here's what happened... he said... and you said... but notice how your voice changed...

Step 3: Analyze the Transcript

1. Highlight the factual observations vs. the interpretations and predictions. How much of the transcript is fact vs. inference?

2. Read the transcript as if it were being said by a stranger about your closest friend. Would you consider this commentary fair and helpful, or harsh and distorted?

3. What core shame belief does this commentary reinforce? What is it saying about your fundamental worth or adequacy?

4. What evidence does the commentator actually have for its conclusions? What evidence does it ignore or minimize?

5. Write a brief verdict: Is this commentator a reliable reporter, or is it a biased analyst with an agenda? What is that agenda?

Step 4: The Accurate Report

Rewrite the commentary as an accurate, fair, compassionate report — the kind a good therapist or trusted friend would give about that same interaction:

An accurate, fair report of that interaction would read: ...

PART 2 OF 4 · READING

Why the Broadcast Never Stops: The Roots of Social Rumination

People do not develop a relentless internal social commentator because they are weak, neurotic, or self-absorbed. They develop it because their brains learned, through experience, that social interactions carry significant consequences — and that those consequences are best managed through vigilant analysis. Understanding why your internal broadcast began is not about assigning blame. It is about making the unconscious conscious so you can begin to write a new program.

The most common root of excessive social rumination is early experience with social threat. If your childhood or early adult environment taught you that social missteps had serious consequences — rejection, punishment, humiliation, abandonment, violence — your brain adapted by installing a monitoring system. The goal of this system was protection: if you could analyze every interaction thoroughly enough, you could predict and prevent social pain. The internal commentator was not born as a critic. It was born as a guard.

For people in substance use disorder and mental health recovery, this pattern is often amplified by the specific social experiences that accompany addiction. Active addiction rarely leaves social relationships intact. Bridges burned, trust violated, commitments broken, cruelty inflicted and received — the wreckage of social connection in active addiction gives the internal commentator enormous amounts of material to work with, and enormous reasons to believe that social vigilance is necessary.

Shame is the fuel that keeps the broadcast running. Social rumination, at its core, is shame-driven hypervigilance. When we carry deep beliefs about our own fundamental defectiveness — "I am broken, bad, unworthy, too much, not enough" — every social interaction becomes a referendum on that belief. The internal commentator is not just analyzing the conversation. It is scanning every interaction for evidence that the core shame story is true.

The crucial insight is this: your internal commentator believes it is protecting you. It believes that thorough analysis will prevent future pain. But social interactions do not improve through obsessive post-game analysis — they improve through presence, practice, and self-compassion. The very act of running the constant broadcast interferes with the authentic connection that would build the social confidence you are seeking. The guard has become the jailer.

Reflection Questions

1. What early experiences taught you that social interactions were potentially dangerous or consequential? Who or what installed the belief that you needed to monitor yourself this carefully?

2. How has active addiction and the social damage it caused contributed to your internal broadcaster? What specific relationship damage does your commentator use as evidence?

3. Can you identify the shame story underneath your social rumination? What fundamental belief about yourself does your internal commentator seem to be trying to either prove or disprove?

4. If your internal commentator was originally installed as a protective guard, what was it guarding you against? Has that threat actually passed, or does it still exist?

5. How do anxiety, depression, or trauma show up in your internal social commentary? Does your commentator lean toward catastrophizing, replaying the worst moments, or something else?

CHECK YOURSELF · CHECK-IN 2 OF 5

Replay Cycle & Rumination

Scale: 1 = Not at all · 2 = A little · 3 = Somewhat · 4 = Quite a bit · 5 = Very much

1. I replay the same conversational moment dozens of times, each time finding new things to critique

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

2. My replays become increasingly slow and detailed, zooming in on micro-expressions and pauses

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

3. I am able to recall exact words, tones, and non-verbal cues from past conversations with high accuracy

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

4. Trying to fall asleep triggers an automatic review of the day's social interactions

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

5. My mental replays shift from description to judgment — evaluating whether I performed well or poorly
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
6. I develop elaborate theories about what others were thinking based on tiny behavioral cues
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
7. I plan future conversations in exhausting detail based on perceived past failures
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
8. The bedtime replay cycle regularly interferes with my ability to sleep
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

CHECK YOURSELF · CHECK-IN 3 OF 5**Social Hypervigilance & Self-Consciousness**

Scale: 1 = Not at all · 2 = A little · 3 = Somewhat · 4 = Quite a bit · 5 = Very much

1. I have become so aware of social nuances that spontaneous, natural conversation feels difficult
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
2. During interactions I am partly focused on how the "tape" will look during the post-game analysis later
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
3. I feel like I am performing in conversations rather than simply being myself
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
4. My awareness of every social detail has become so acute that it sometimes overwhelms my natural responses
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
5. I struggle to be fully present because part of my mind is already preparing for the review
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
6. I have developed specific "scripts" or conversational strategies based on past analysis
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
7. I often don't feel genuinely connected during social interactions because I'm too busy monitoring them
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
8. I experience my own internal commentator as a kind of external judgment — as if others see what I see
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

YOUR EXERCISE**The Replay Log**

Tracking Your Social Rumination Patterns for 7 Days

How to Use This Log

Each day this week, catch yourself when the replay cycle starts and record what triggered it, how long it ran, and what your commentator focused on. You are not trying to stop the replay — you are studying it. Awareness before intervention. Observation before change.

Day 1

What social interaction triggered the replay today?

What specific moment or detail did the commentator return to most?

Roughly how long did the replay run (minutes/hours)?

Did the broadcast continue at bedtime? How did it affect your sleep?

Did you do anything to interrupt the replay? What worked, if anything?

Day 2

What social interaction triggered the replay today?

What specific moment or detail did the commentator return to most?

Roughly how long did the replay run (minutes/hours)?

Did the broadcast continue at bedtime? How did it affect your sleep?

Did you do anything to interrupt the replay? What worked, if anything?

Day 3

What social interaction triggered the replay today?

What specific moment or detail did the commentator return to most?

Roughly how long did the replay run (minutes/hours)?

Did the broadcast continue at bedtime? How did it affect your sleep?

Did you do anything to interrupt the replay? What worked, if anything?

Day 4

What social interaction triggered the replay today?

What specific moment or detail did the commentator return to most?

Roughly how long did the replay run (minutes/hours)?

Did the broadcast continue at bedtime? How did it affect your sleep?

Did you do anything to interrupt the replay? What worked, if anything?

Day 5

What social interaction triggered the replay today?

What specific moment or detail did the commentator return to most?

Roughly how long did the replay run (minutes/hours)?

Did the broadcast continue at bedtime? How did it affect your sleep?

Did you do anything to interrupt the replay? What worked, if anything?

Day 6

What social interaction triggered the replay today?

What specific moment or detail did the commentator return to most?

Roughly how long did the replay run (minutes/hours)?

Did the broadcast continue at bedtime? How did it affect your sleep?

Did you do anything to interrupt the replay? What worked, if anything?

Day 7

What social interaction triggered the replay today?

What specific moment or detail did the commentator return to most?

Roughly how long did the replay run (minutes/hours)?

Did the broadcast continue at bedtime? How did it affect your sleep?

Did you do anything to interrupt the replay? What worked, if anything?

7-Day Pattern Summary

1. What types of social interactions most reliably triggered your replay cycle? Do you see a pattern?

2. What time of day was the replay most intense? What conditions made it worse?

3. What did your commentator return to most consistently across all seven days? What does this recurring focus tell you?

4. What, if anything, helped interrupt or quiet the replay cycle?

5. What surprised you most about tracking this pattern for a full week?

YOUR EXERCISE

Social Trigger Mapping

Identifying What Activates Your Internal Broadcast

Know Your Triggers

Not all social situations activate your internal commentator equally. Knowing which situations reliably fire up the broadcast — before you enter them — lets you prepare, set intentions, and deploy management strategies proactively rather than reactively.

Meeting new people

Unfamiliar social territory with no established history

On a scale of 1-5, how strongly does this trigger your internal broadcast?

☐ 1 Not at all ☐ 2 A little ☐ 3 Somewhat ☐ 4 Quite a bit ☐ 5 Very much

Describe a specific example when this triggered extensive replay for you:

What is the core fear or threat this type of interaction activates in you?

Interactions with authority figures

Supervisors, therapists, sponsors, judges, parole officers

On a scale of 1-5, how strongly does this trigger your internal broadcast?

☐ 1 Not at all ☐ 2 A little ☐ 3 Somewhat ☐ 4 Quite a bit ☐ 5 Very much

Describe a specific example when this triggered extensive replay for you:

What is the core fear or threat this type of interaction activates in you?

Conflict or disagreement

Any moment of friction, pushback, or emotional intensity

On a scale of 1-5, how strongly does this trigger your internal broadcast?

☐ 1 Not at all ☐ 2 A little ☐ 3 Somewhat ☐ 4 Quite a bit ☐ 5 Very much

Describe a specific example when this triggered extensive replay for you:

What is the core fear or threat this type of interaction activates in you?

Group situations

Meetings, parties, group therapy, family gatherings

On a scale of 1-5, how strongly does this trigger your internal broadcast?

☐ 1 Not at all ☐ 2 A little ☐ 3 Somewhat ☐ 4 Quite a bit ☐ 5 Very much

Describe a specific example when this triggered extensive replay for you:

What is the core fear or threat this type of interaction activates in you?

Perceived rejection or dismissal

Unanswered texts, cancelled plans, someone seeming distracted

On a scale of 1-5, how strongly does this trigger your internal broadcast?

☐ 1 Not at all ☐ 2 A little ☐ 3 Somewhat ☐ 4 Quite a bit ☐ 5 Very much

Describe a specific example when this triggered extensive replay for you:

What is the core fear or threat this type of interaction activates in you?

Moments of vulnerability or honesty

Sharing struggles, asking for help, admitting feelings

On a scale of 1-5, how strongly does this trigger your internal broadcast?

☐ 1 Not at all ☐ 2 A little ☐ 3 Somewhat ☐ 4 Quite a bit ☐ 5 Very much

Describe a specific example when this triggered extensive replay for you:

What is the core fear or threat this type of interaction activates in you?

Social mistakes or awkward moments

Stumbled words, inappropriate jokes, saying the wrong thing

On a scale of 1-5, how strongly does this trigger your internal broadcast?

☐ 1 Not at all ☐ 2 A little ☐ 3 Somewhat ☐ 4 Quite a bit ☐ 5 Very much

Describe a specific example when this triggered extensive replay for you:

What is the core fear or threat this type of interaction activates in you?

Recovery-related social contexts

Meetings, treatment interactions, disclosing your history

On a scale of 1–5, how strongly does this trigger your internal broadcast?

☐ 1 Not at all ☐ 2 A little ☐ 3 Somewhat ☐ 4 Quite a bit ☐ 5 Very much

Describe a specific example when this triggered extensive replay for you:

What is the core fear or threat this type of interaction activates in you?

Trigger Pattern Summary

1. Which triggers scored highest? What do the highest-scoring triggers have in common?

2. What core fear appears across multiple triggers? Is there a single underlying belief driving most of your social broadcast activation?

3. Which triggers are most important to address for your recovery specifically?

4. For your two highest-scoring triggers, write a brief "pre-game plan" — what intention will you set before entering those situations?

PART 3 OF 4 · READING

The Price of the Permanent Broadcast: How Social Rumination Harms Recovery

The internal commentator was built to help, but it extracts a serious cost. Understanding what constant social rumination actually does to your brain, your body, your relationships, and your recovery is essential — not to add shame to shame, but to understand the full scope of what you are working to change.

The neurological cost is significant. Rumination — the repetitive, passive focus on distressing thoughts — is one of the most well-studied predictors of depression, anxiety, and prolonged emotional distress. When you replay a social interaction obsessively, you are not actually processing it or learning from it. You are reinforcing the neural circuits that make the anxiety feel more true, more urgent, and more threatening. Each replay strengthens the neurological pathway, not because the analysis produces new information, but because the emotional activation of the replay deepens the grooves. You are not solving the problem. You are training your brain to experience social situations as more threatening.

The irony at the center of this pattern is perhaps its cruellest feature: while your internal Madden believes he is improving your social game, his constant analysis actively interferes with your ability to be present in conversations. Instead of listening naturally and responding authentically, part of your mind is already preparing for the post-game analysis, wondering how this moment will be dissected later. The very tool you are using to become better at connection is preventing you from connecting.

For people in recovery, the relapse risk embedded in this pattern is real. The mental exhaustion produced by constant social monitoring is significant — and exhaustion is one of the most powerful relapse triggers. The shame that drives social rumination is itself a relapse trigger. The isolation that often results — withdrawing from social situations to avoid the mental cost of the post-interaction broadcast — undermines the connection-based model of recovery that we know works.

The research on this is clear: rumination does not produce the insights the ruminant believes it will produce. Studies consistently show that people who ruminate extensively about social interactions do not demonstrate better social skills, more accurate social perception, or improved relationships over time. The broadcast is not making you better. It is making you sick.

Reflection Questions

1. How has chronic social rumination affected your sleep? Describe a typical bedtime broadcast and its impact on your rest and the following day.

2. Describe the irony of social rumination — how has your internal commentator's attempts to improve your social performance actually interfered with genuine connection?

3. How has the exhaustion and isolation produced by social rumination affected your recovery specifically? Has it contributed to relapse urges, avoidance of recovery activities, or isolation from your support network?

4. Have you noticed the feedback loop: anxiety leads to rumination, rumination disrupts sleep, sleep deprivation increases anxiety? How has this cycle operated in your life?

5. If you accepted the research conclusion that social rumination does not produce genuine insight or improved social skills, what would change about your relationship with your internal commentator?

CHECK YOURSELF · CHECK-IN 4 OF 5

Impact on Recovery & Mental Health

Scale: 1 = Not at all · 2 = A little · 3 = Somewhat · 4 = Quite a bit · 5 = Very much

1. The exhaustion from constant social analysis has contributed to my desire to use substances or avoid people entirely

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

2. My internal commentary creates enough shame and self-criticism to trigger relapse urges

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

3. I isolate from others partly to avoid the mental exhaustion of the post-interaction replay cycle

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

4. Social anxiety fueled by my internal commentary has made it harder to build a support network in recovery

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

5. I have missed or avoided important recovery activities (meetings, therapy, check-ins) due to social anxiety

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

6. The mental energy spent on internal commentary has robbed me of energy I need for recovery work

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

7. My internal commentator focuses heavily on past social mistakes made during active addiction

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

8. My self-critical commentary has contributed to shame that drives substance use or avoidance

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

YOUR EXERCISE

Social Confidence Inventory

What Your Commentator Never Broadcasts

The Selective Broadcast

Your internal commentator broadcasts your social failures in high-definition slow motion and gives your social strengths a brief, dismissive mention. This inventory corrects that imbalance by deliberately cataloguing what you do well. This is not false positivity. It is accurate accounting.

Active Listening

When do you listen genuinely and well? What makes you a good listener?

Describe a specific example from your life:

How has this quality contributed to a meaningful connection or relationship?

Authentic Care

How do you demonstrate that you genuinely care about the people in your life?

Describe a specific example from your life:

How has this quality contributed to a meaningful connection or relationship?

Humor & Lightness

When does your humor land well? When have you helped others laugh or feel lighter?

Describe a specific example from your life:

How has this quality contributed to a meaningful connection or relationship?

Honesty & Directness

When have you been honest in ways that took courage and were appreciated or helpful?

Describe a specific example from your life:

How has this quality contributed to a meaningful connection or relationship?

Loyalty & Reliability

How have you shown up consistently for people who matter to you?

Describe a specific example from your life:

How has this quality contributed to a meaningful connection or relationship?

Empathy & Understanding

When have you accurately understood someone's experience and communicated that understanding effectively?

Describe a specific example from your life:

How has this quality contributed to a meaningful connection or relationship?

Growth & Willingness

How are you actively becoming a better version of yourself? What social growth have you made in recovery?

Describe a specific example from your life:

How has this quality contributed to a meaningful connection or relationship?

Gifts of Recovery

What qualities has your recovery given you that make you a better friend, partner, parent, or colleague?

Describe a specific example from your life:

How has this quality contributed to a meaningful connection or relationship?

YOUR EXERCISE

Recovery Connection Map

How Your Internal Commentator Affects Your Recovery

The Hidden Threat

Your internal commentator is not just a social inconvenience — it is actively working against your recovery in specific, concrete ways. This map makes those connections visible so you can see the full stakes of changing your internal broadcast.

Isolation & Avoiding Support

HOW THE COMMENTATOR UNDERMINES THIS

Social rumination makes the thought of being around people exhausting before you even arrive. The anticipated cost of the post-game analysis drives isolation — which removes the connection that makes recovery possible.

How has social anxiety or anticipated replay kept you from meetings, therapy, check-ins, or reaching out to your support network?

Relapse Triggers & Cravings

HOW THE COMMENTATOR UNDERMINES THIS

Mental exhaustion from chronic social analysis is a powerful relapse trigger. The shame that drives rumination is itself a relapse trigger. The isolation that results removes protective social

support.

Can you trace a connection between social rumination, shame, exhaustion, or isolation and specific relapse episodes or urges?

Relationship Repair & Amends

HOW THE COMMENTATOR UNDERMINES THIS

Making amends requires entering high-stakes social situations — exactly the type that activate the internal broadcaster most intensely. Fear of the post-interaction replay may prevent the amends that are essential to recovery.

How has fear of social judgment, embarrassment, or post-interaction replay affected your ability to repair relationships or make amends?

Trust & Vulnerability in Treatment

HOW THE COMMENTATOR UNDERMINES THIS

Authentic engagement in therapy and group requires vulnerability. If every vulnerable moment will be dissected afterward by a harsh commentator, vulnerability carries a hidden tax that makes honest treatment engagement exhausting.

How has awareness of your internal commentator affected your willingness to be honest and vulnerable in therapy, group, or with your sponsor?

Shame & Self-Worth in Recovery

HOW THE COMMENTATOR UNDERMINES THIS

The internal commentator and shame are fueled by the same source. When the broadcast focuses on social failures caused by addiction, it reinforces the core shame belief that prevents honest engagement with recovery.

What specific addiction-related social failures does your commentator return to most? How does that replay maintain shame that undermines recovery?

PART 4 OF 4 · READING

Changing the Channel: From Analyst to Compassionate Observer

You cannot simply turn off your internal commentator by deciding to. The broadcast has been running for years, probably decades, and it is deeply wired into your nervous system's threat-response architecture. But you can change the channel — gradually, deliberately, and with practice — from a relentless critical analyst to something that serves you far better: a compassionate observer.

The shift begins with recognition, not resistance. The first move is simply to notice the broadcast is happening — to name it. "My internal commentator is active right now. It is replaying the conversation from this morning." This act of naming — what neuroscientists call "labeling" — activates the prefrontal cortex and reduces amygdala activation. In plain language: naming what is happening calms the alarm system that is driving the broadcast. You are not agreeing with the commentary. You are not fighting it. You are simply observing it from one step back.

The second move is to question the commentator's authority. Your internal broadcaster presents its analysis as objective, as truth, as "just what happened." But it is not objective. It is filtered through anxiety, shame, and years of learned threat-perception. Ask your commentator: "Are you giving me accurate information, or are you giving me anxiety-filtered information?"

Compassionate observation means applying to yourself the same standard of grace you would apply to a friend. If your closest friend told you they stumbled over their words when meeting someone new, would you tell them to replay that moment forty times before falling asleep? Of course not. You would say: "That happens to everyone. You were nervous. They probably barely noticed. You are a good person, and that moment does not define you." Your internal commentator needs the same correction. Not silence — correction.

Recovery provides both the motivation and the framework for this work. The same principles that guide Step work, therapy, and community apply here: honest self-appraisal without self-destruction, accountability without shame, growth without self-punishment. You have already been given the tools. This intensive helps you apply them to the specific pattern of social rumination that may be quietly undermining your recovery.

Reflection Questions

1. What does it feel like to "observe" your internal commentator rather than to be inside it? Have you ever had a moment of this distance? What made it possible?

2. Practice the authority challenge right now: Think of a recent moment your commentator has been replaying. Ask: Is this analysis accurate, or is it anxiety-filtered? What would a neutral observer say about that same moment?

3. Write out what you would say to a close friend who told you about the social moment your commentator has been dissecting. Then read it back as if it were directed at you.

4. Which of the change strategies — mindfulness, cognitive defusion, scheduled worry time, social exposure — seems most accessible to you right now? What would one small step in that direction look like this week?

5. How do the principles of your recovery program (honesty, accountability, self-compassion, community) apply to changing your relationship with your internal commentator? What would your sponsor or therapist say about this pattern?

CHECK YOURSELF · CHECK-IN 5 OF 5

Present-Moment Awareness & Management

Scale: 1 = Not at all · 2 = A little · 3 = Somewhat · 4 = Quite a bit · 5 = Very much

1. I can recognize when my internal commentator becomes active and name what is happening

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

2. I am able to redirect my attention away from the replay cycle when I choose to

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

3. I can distinguish between genuinely helpful self-reflection and obsessive self-analysis

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

4. I have at least one effective technique for quieting my internal broadcaster at bedtime

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

5. I am developing confidence in my social abilities that does not depend on constant analysis
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
6. I can accept that social interactions are imperfect without needing to review them exhaustively
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
7. I practice being present in conversations rather than simultaneously analyzing them
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5
8. I have found healthy outlets that give my analytical mind a productive focus
☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5

YOUR EXERCISE

Cognitive Reframe Workshop

Challenging Your Commentator's Distorted Analysis

Distortion vs. Accuracy

Your internal commentator presents its analysis as objective truth. But most social rumination is cognitively distorted — filtered through anxiety, shame, and threat-detection rather than accurate perception.

Distortion 1

COMMENTATOR'S VERSION

"That pause in their response means they were bored or annoyed by what I said."

ACCURATE REFRAME

Pauses in conversation are normal. People pause to think, to process, or simply because conversation has natural rhythm. A pause does not mean disapproval.

Have you experienced this specific distortion? Describe a real situation:

Write your own personalized reframe for this distortion:

Distortion 2

COMMENTATOR'S VERSION

"My voice broke when I spoke. Everyone noticed. They think I am weak or unstable."

ACCURATE REFRAME

Voices break when people are emotionally present. Most people find authenticity and vulnerability more relatable than polished performance.

Have you experienced this specific distortion? Describe a real situation:

Write your own personalized reframe for this distortion:

Distortion 3

COMMENTATOR'S VERSION

"That joke didn't land. They probably think I am trying too hard or that I am inappropriate."

ACCURATE REFRAME

Not every joke lands for every person. Humor is subjective and context-dependent. One unmet moment does not define an interaction.

Have you experienced this specific distortion? Describe a real situation:

Write your own personalized reframe for this distortion:

Distortion 4

COMMENTATOR'S VERSION

"I shared too much. They must be uncomfortable with me now and will avoid me in the future."

ACCURATE REFRAME

Authentic sharing builds connection. The discomfort of vulnerability is often mutual and temporary — and is often what makes relationships real.

Have you experienced this specific distortion? Describe a real situation:

Write your own personalized reframe for this distortion:

Distortion 5

COMMENTATOR'S VERSION

"They forgot something I told them. I clearly don't matter to them."

ACCURATE REFRAME

People forget details all the time — it reflects the limits of human memory, not the depth of their care. It is almost certainly not personal.

Have you experienced this specific distortion? Describe a real situation:

Write your own personalized reframe for this distortion:

Distortion 6

COMMENTATOR'S VERSION

"They haven't responded to my message. I said something wrong and now they are pulling away."

ACCURATE REFRAME

Delayed responses reflect the demands of busy lives. Creating a narrative of rejection from a read receipt is your commentator — not reality.

Have you experienced this specific distortion? Describe a real situation:

Write your own personalized reframe for this distortion:

YOUR EXERCISE

Take Over the Broadcast Booth

Replacing Critical Commentary with a Compassionate Voice

The Booth Has Two Chairs

Your internal broadcast booth does not have to have only one voice. You can walk in, sit down, and provide counter-commentary — the voice of a compassionate observer who sees the same interactions but interprets them with accuracy, kindness, and proportion.

Part 1: The Current Broadcast

Write out what the current commentary sounds like — all the critique, replay, and judgment:

The current broadcast sounds like: ...

Part 2: The Compassionate Counter-Broadcast

Now write what a compassionate observer would say about that same interaction:

The compassionate broadcast would say: ...

Reflection 1

What is the biggest difference between the two broadcasts? What does the compassionate version include that the critical version leaves out?

Reflection 2

Which broadcast feels more "true" to you right now? If the critical one feels truer, what does that tell you about the shame story underneath it?

Reflection 3

Write what your sponsor, therapist, or most trusted friend would say about the same interaction.

Reflection 4

What is one specific situation coming up this week where you can deliberately choose the compassionate channel?

YOUR EXERCISE

Present-Moment Practice

7 Days of Intentional Social Presence

One Conversation at a Time

For the next seven days, choose at least one social interaction per day to approach with full present-moment intention. Before the interaction, set an intention. During it, notice when you drift into analysis mode and gently return. Afterward, do a brief check-in — not a replay, but a simple reflection.

Day 1

Before: What is your presence intention for today's chosen interaction?

The interaction: Briefly describe what happened.

During: How present were you? When did the commentator pull you away?

Management: What did you do when you noticed the broadcast starting?

After: What is one genuine, brief observation you can make about this interaction — without replay?

Day 2

Before: What is your presence intention for today's chosen interaction?

The interaction: Briefly describe what happened.

During: How present were you? When did the commentator pull you away?

Management: What did you do when you noticed the broadcast starting?

After: What is one genuine, brief observation you can make about this interaction — without replay?

Day 3

Before: What is your presence intention for today's chosen interaction?

The interaction: Briefly describe what happened.

During: How present were you? When did the commentator pull you away?

Management: What did you do when you noticed the broadcast starting?

After: What is one genuine, brief observation you can make about this interaction — without replay?

Day 4

Before: What is your presence intention for today's chosen interaction?

The interaction: Briefly describe what happened.

During: How present were you? When did the commentator pull you away?

Management: What did you do when you noticed the broadcast starting?

After: What is one genuine, brief observation you can make about this interaction — without replay?

Day 5

Before: What is your presence intention for today's chosen interaction?

The interaction: Briefly describe what happened.

During: How present were you? When did the commentator pull you away?

Management: What did you do when you noticed the broadcast starting?

After: What is one genuine, brief observation you can make about this interaction — without replay?

Day 6

Before: What is your presence intention for today's chosen interaction?

The interaction: Briefly describe what happened.

During: How present were you? When did the commentator pull you away?

Management: What did you do when you noticed the broadcast starting?

After: What is one genuine, brief observation you can make about this interaction — without replay?

Day 7

Before: What is your presence intention for today's chosen interaction?

The interaction: Briefly describe what happened.

During: How present were you? When did the commentator pull you away?

Management: What did you do when you noticed the broadcast starting?

After: What is one genuine, brief observation you can make about this interaction — without replay?

YOUR EXERCISE

Write Your New Broadcast

Designing the Internal Voice You Actually Want

You Get to Choose the Programming

You did not choose the commentator that installed itself in your mind. But you are not powerless over the programming going forward. This final exercise invites you to deliberately design and practice the voice you actually want — the one that serves your recovery, your relationships, and your life.

Step 1: What You Are Leaving Behind

Describe the broadcast you are choosing to no longer accept as your primary inner voice:

The internal broadcast I am leaving behind sounds like... It has cost me...

Step 2: The New Broadcast

Design your new internal broadcaster. How does it sound? What does it focus on? How does it handle social imperfection?

My new internal broadcaster sounds like... It focuses on... When I make a social mistake, it says...

Step 3: Your Recovery-Based Mantras

Write three to five short phrases you can say to yourself when your old commentator activates:

EXAMPLES

"I am in recovery. I am allowed to be imperfect."

"That was one moment. It does not define the whole conversation."

"I don't need to replay this. It's over. I am here now."

"My worth is not determined by how a conversation went."

Mantra 1:

Mantra 2:

Mantra 3:

Mantra 4:

Mantra 5:

Step 4: A Letter to Your Future Self

Write a letter to yourself six months from now — describing what your social life and inner experience look like when the new broadcast has had time to take root:

Dear [Your Name], six months from now...

Step 5: Your Commitment

1. What will you do daily to practice the new broadcast? (Name one specific practice.)

2. Who in your recovery community knows about this pattern and can support the change? How will you tell them?

3. How will you know the new broadcast is taking hold? What will be different — in your sleep, your relationships, your recovery engagement?

4. Sign your commitment: Write your name and today's date, followed by one sentence about why this change matters to your recovery.
